



JUN 26 2009

BUREAU OF PUBLIC WATER SUPPLY

		CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM
		City of Madison
		Public Water Supply Name
- 1		List PWS ID #s for all Water Systems Covered by this CCR
The Fe confide must b	ederal Safe Dring ence report (CCR e mailed to the cu	king Water Act requires each <i>community</i> public water system to develop and distribute a consumer of its customers each year. Depending on the population served by the public water system, this CCR istomers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Foll	owing Questions Regarding the Consumer Confidence Report
9	Customers were	e informed of availability of CCR by: (Attach copy of publication, water bill or other)
		Advertisement in local paper On water bills Other_mailed to all customers
	Date custome	rs were informed://
9	CCR was dist	ributed by mail or other direct delivery. Specify other direct delivery methods:
		stributed: 6 1/1 9/2009
	CCR was publis	shed in local newspaper. (Attach copy of published CCR or proof of publication)
		paper:
	Date Published:	
9	CCR was posted	d in public places. (Attach list of locations) Madison City Hall, Madison Library
	Date Posted:_6	242009 and the Madison Public Service Complex
9	CCR was posted	on a publicly accessible internet site at the address: www.madisonthecity.com
CERTI	FICATION	
I hereby the form consiste Departm	y certify that a contain and manner ident with the wat nent of Health, B	ensumer confidence report (CCR) has been distributed to the customers of this public water system in entified above. I further certify that the information included in this CCR is true and correct and is er quality monitoring data provided to the public water system officials by the Mississippi State ureau of Public Water Supply.
Name/	Ore & @ Title (President,	Mayor, Owner, etc.) 6-24-09 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

City of Madison Water Quality Report 2008

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Madison vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

We have four ground water wells. Two are drilled into the Cockfield Aquifer and two are drilled into the Sparta Aquifer

Source water assessment and its availability

The Mississippi Source Water Assessment Program is a result of the Federal Safe Drinking Water Act 1996 which mandated all states to identify public water systems that may be susceptible to contamination and adopt appropriate management measures that will enhance their protection. More information is available at www.deq.state.ms.us

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Attend any regularly scheduled meeting of the Mayor and Board of Alderman held at the Madison Justice Complex on Crawford Street at 6 p.m. on the first and third Tuesday of each month.

Conservation Tips

Did you know that the average U.S. household uses approximately 350 gallons of water per day? Luckily, there are many low cost or no cost ways to conserve water. Water your lawn at the least sunny times of the day. Fix toilet and faucet leaks. Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Turn the faucet off while brushing your teeth and shaving; 3-5 gallons go down the drain per minute. Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Madison is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Between 2002-04 (30) Lead and Copper samples were collected 90th percentile results of lead .001mg/l 90th percentile results of copper .02mg/l Between 2005-07 (33) Lead and copper samples were collected 90th percentile results of lead .001 mg/l 90th percentile results of copper .4mg/l Action level of lead .015mg/l Action level of copper 1.3mg/l Madison did not exceed any action levels

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

	MCLG	MCL,						
Contaminants	or <u>MRDLG</u>	TT, or MRDL	Your <u>Water</u>	Low	nge <u>High</u>	Sample <u>Date</u>	<u>Violation</u>	Typical Source
Inorganic Contaminant	2 2	days you consist a series of the series of t	era piero e a a a a a a a a a a a a a a a a a a	galyscopius (Antohaus) A	description (to other second	idolini yrujini yrumani kani		
Nitrate [measured as Nitrogen] (ppm)	10	10	0.08	0.08	0.08	2008	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	\$	ì	0.02	0.02	0.02	2008	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Radioactive Contamina	nts							
Alpha emitters (pCi/L)	0	15	1.93	0.46	1.93	2008	No	Erosion of natural deposits
Radium (combined 226/228) (pCi/L)	0	5	0.0401	0.01 78	0.295	2008	No	Erosion of natural deposits
Uranium (ug/L)	0	30	0.015	0,00	0,048	2008	No	Erosion of natural deposits
Volatile Organic Contac	minants							
1,1,1-Trichloroethane (ppb)	200	200	≤ 0.5	0,5	0,5	2008	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
1,1-Dichloroethylene (ppb)	7	7	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
1,2,4-Trichlorobenzene (ppb)	70	70	≤ 0.5	0.5	0,5	2008	No	Discharge from textile- finishing factories
1,2-Dichloropropane (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
Benzene (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from factories; Leaching from gas storage tanks and landfills
Carbon Tetrachloride (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from chemical plants and other industrial activities
cis-1,2- Dichloroethylene (ppb)	70	70	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories

Dichloromethane (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from pharmaceutical and chemica factories
Ethylbenzene (ppb)	700	700	≤ 0.5	0.5	0.5	2008	No	Discharge from petroleum refineries
o-Dichlorobenzene (ppb)	600	600	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
Styrene (ppb)	100	100	≤ 0,5	0,5	0.5	2008	No	Discharge from rubber and plastic factories; Leaching from landfills
Tetrachioroethylene (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from factories and dry cleaners
Toluene (ppm)	l	1	0.0005	0,00 ≤ 05	0.000 5	2008	No	Discharge from petroleum factories
trans-1,2- Dicholoroethylene (ppb)	100	100	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
Trichloroethylene (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from metal degreasing sites and other factories
Vinyl Chloride (ppb)	0	2	≤ 0.5	0.5	0.5	2008	No	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)	10	10	0,0005	0.00 ≤ 05	0.000 5	2008	No	Discharge from petroleum factories; Discharge from chemical factories

Unit Descriptions	
Term	<u>Definition</u>
ug/L	ug/L: Number of micrograms of substance in one liter of water
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
pCi/L	pCi/L: picocuries per liter (a measure of radioactivity)
NA	NA: Not Applicable
ND	ND: Not Detected
NR	NR: Monitoring not required, but recommended.

Term	<u>Definition</u>
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum Residual Disinfection Level Goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL.	MRDL: Maximum Residual Disinfectant Level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Madison Public Works Department Address: 1239 Highway 51 Madison, MS 39110-9092 Telephone: 601-856-8958 Fax: 601-856-8996 publicworks@madisonthecity.com www.madisonthecity.com

ADDENDUM

Quality on Tap Report Annual Drinking Water Quality Report

2008

City of Madison PWS ID #MS0450010

The following information was inadvertently excluded from the 2008 Consumer Confidence Report. The water quality results table should have included information regarding the amount of chlorine measured as a chlorine residual in your drinking water.

This table may include terms and abbreviations you might not be familiar with. To help better understand these terms we've provided the following definitions:

ppm - parts per million or milligrams per liter (mg/l)

MRDL - Maximum Residual Disinfectant Level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

				TEST	RESULTS			
Contaminant	Violation Y/N			Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MRDL	Likely Source of Contamination
Disinfection	By-Prod	lucts						
Chlorine as CL ₂	N	2008	1.10	1.10-1.34	ppm	4	4	Water additive used to control microbes

*****MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING******

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. You water system has now returned to compliance since the required monitoring has now been completed. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply at 601.576.7518.

United States Postal Service CONSOUIDATED POSTAGE STATEMENT Standard Mail	Post Office: Note Mail Arrival
Mailer	Date & Time (Do not Round Stamp)
	593 : STD REG Auto LETTERS (PERMIT) City of Madison 2008 Water Quality Rpt
Permit Holder's Name Telephone Name and Address of Telephone Name are and Address and Mailing Agent (If SISSICO Organiz	nd Address of Individual or cation for Which Mailing is ed (if other than permit
Mailing	
Post Office of Mailing Mailing bate Fed Agency Cost Code Statement Seque Madison MS 39110 0001 to 0002	
[X] Permit Imprint [X] Letters [] CMM [] Flats [] NFM [] 125 pcs [] Precanceled [] Parcels-Machinable [] Parcels-Irregular [] 15 lbs. Stamps [] Letters-Paid as Nonauto Flats [] both Total	1 Pieces
For Mail Enclosed within Another Class []Periodicals []Bound Printed Matter []Library Ma	
를 도로막성하는 아이지 살아서, 없는 이 사람들이 있다는 그리고 하면 하면 이 사람이 있는 그래로 가장하다면 하는데 그리고 하는데 그리고 하면 사람들이 가장하다는데 하는데 이 사람들이 가장 보다를 하는데	nced Carrier Route Price Pieces, te of Carrier Route Seguencing
Move Update method: []Ancillary service endorsement []FASTforward NCOA Link []ACS	[]Alternative method []Multiple
Postage	
Parts Completed (Select all that apply) [X]A []B []C [X]D []E []F []G []H []I []J [
Total Postage (Ad	dd parts totals) \$ 1116.77
Price at Which Postage Affixed (Check one) pcs. x \$ = I []Correct	Postage Affixed \$
Net Postage Due (Subtract postage affixed from	n total postage) \$ 1116.7730
Additional Postage Payment (State reason)	\$
For postage affixed add additional payment to net postage due; for permit imprint add additional payment to total postage. Total Adjusted	Postage Affixed \$
Postmaster: Report Total Postage in AIC 130 (Permit Imprint only) Total Adjusted Postage	e Permit Imprint \$
Certification	
The mailer's signature certifies acceptance of liability for and agreement to pay any revent mailing, subject to appeal. If an agent signs this form, the agent certifies that he or she the mailer, and that the mailer is bound by the certification and agrees to pay any deficier liable for any deficiencies resulting from matters within their responsibility, knowledge, certifies that all information furnished on this form is accurate, truthful, and complete; the documentation comply with all postal standards and that the mailing qualifies for the prices mailing does not contain any matter prohibited by law or postal regulation. I understand the misleading information on this form or who omits information requested on this form may be spenal ies, including fines and imprisonment. Privacy Notice: For information regarding our	is authorized to sign on behalf of ncies. In addition, agents may be or control. The mailer hereby that the mail and the supporting s and fees claimed; and that the at anyone who furnishes false or subject to criminal and/or civil
Signature of Mailer of Agent Signature of Mailer or Agent Signature of Mai	ning Form (1 Telephone 8762
USPS Use Only	
Weight of a Single Piece 0] Yes No
Total Postage ///6.77	Round Stamp (Required) Date Mail Released
Presort Verification Performed? (check one) Date Mailer Notified Contact By	(Initials)
I CERTIFY that this mailing has been inspected concerning: (1) eligibility for postage price (2) proper preparation (and presort where required); (3) proper completion of postage statem (4) payment of annual fee (if required); (5) sufficient funds on deposit (if required). USPS Employer's Standure Print USPS Employer's Name Times Times Print USPS Employer's Name Print USPS Employer's	

	MGCARGC LOST II											
betters 3.	.3 oz. (0.2063	1bs.) o	n bess									
Entry	Price Categor	У		Price		No. of	Pieces			Total		
d None	5-Digit			0.233	X		4381	No.	\$	1030.7730		
3 None	3-Digit			0.251	х			**	\$			
3 None	AADC			0.253	X			552	\$			
4 None	Mixed AADC			0.370	Х			5.	\$			
5 DBMC	5-Digit			0.199	х			22	\$			
6 DBMC	3-Digit			0.317	×			27	\$			
7 DBMC	AADC			0.219	×			724	š			
AS DBMC	Mixed AADC			0.236	×			=	š			
49 DSCF	F. Diair			0.640								
	5-Digit			0.190	×			22	\$			
A10 DSCF	3-Digit			0.308	×			. 72	Ş			
di dece	AADC			0.210	X	,		=======================================	\$			
Letters Ov price.	ver 3.3 oz. up						quals the m	onletter p	iece	price minu:	s the 1	etter piec
	Price		Or Amount	No. of		Pieces	Pound			Pounds		
	Category	Price	Affixed	Pieces		Subtotal	Price	Pounds		Subtotal		Total
12 None	5-Digit	0.083	>		= \$		0.733		122	\$	= \$	
13 None	3-Digit	0.101	>		= \$		0.733		NR.	\$	≃ \$	
14 None	AABC	0.103	2		≃ \$		0.733 ;		te.	\$	= \$	
15 None	Mixed AADC	0,130	>	:	= \$		0.733	:	=	\$	≕ \$	
16 DBMC	5-Digit	0.083	۷	:	= \$		0.574		=	<	≈ \$	
J.7 DBMC	3-Digit	0.101	2		- \$ ≈ \$		0.574		:=	*	= \$	
18 DBMC	AADC	0.103	,		⊕ ≌ \$		0.574 :		77	•	= 5 ≃ \$	
19 DBMC	Mixed AADC	0.120	,		- ş = \$		0.574		==	•	≃ \$ ≂ \$	
00 =000					•					•	~	
20 DSCF	5-Digit 3-Digit	0.003 0.101	2		= \$		0.530 :		22	•	= \$	
			>		= \$ = \$		0.530 :		 ⊭		= \$ = \$	
21 DSCF 22 DSCF or affixed altiply by	AADC d postage mail y No. of Piece	ings as s and to	described in tal in the T	DMM 243, otal colum	compute	e and ente	PT 570 575 PT 1071 MA PTS 551 540 484 A	for each	piece	in the Amo	ount Af	1020.7730
21 DSCF 22 DSCF or affixed ultiply by	AADC d postage mail y No. of Piece	ings as s and to	described in	DMM 243, otal colum	compute	e and ente	r the price	e for each	piece	A Total	ount Af	1020.7730
21 DSCP 22 DSCP 'or affixed altiply by	AADC d postage mail y No. of Piece	ings as s and to	described in the 1	DMM 243, otal colum	compute	e and ente	r the price	e for each	piece	A Total	ount Af	1020.7730
A21 DSCF A22 DSCF For affixed multiply by 1 Part B	AADC d postage mail y No. of Piece Automation F.	ings as s and to lats	described in the 1	DMM 243, otal colum	compute	e and ente	r the price	e for each	piece Part	A Total	ount Af	1020.7730
A21 DSCF A22 DSCF For affixed multiply by	AADC d postage mail y No. of Piece - Automation F	ings as s and to lats	described in the 1	DMM 243, otal colum	compute	e and ente	r the price	e for each	piece Part	A Total	ount Af	1020.7730
A21 DSCF A22 DSCP For affixed multiply by 1 Part B - Plats 3.3 Entry	AADC d postage mail y No. of Piece - Automation F. oz. (0.2063 H Price Category	ings as s and to lats	described in the 1	DMM 243, otal colum	compute	e and ente	r the price	e for each	piece Part ices	A Total	ount Af	1020.7730
221 DSCF 222 DSCF For affixer altiply by 1 Part B - Plats 3.3 Entry 21 None	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2063 1) Price Category 5-Digit	ings as s and to lats	described in the 1	DMM 243, otal colum Price 0.346	compute n.	e and ente	r the price	e for each	piece Part ices	A Total	ount Af	1020.7730
21 DSCF 22 DSCF for affixed multiply by 1 Part B - Plats 3.3 Entry 81 None 82 None 93 None	AADC d postage mail y No. of Piece Automation F oz. (0.2063 1) Price Category 5-Digit 3-Digit	ings as s and to lats	described in the 1	DMM 243, octal column 243, oct	compute	e and ente	r the price	e for each	piece Part ices	A Total	ount Af	1020.7730
A21 DSCF A22 DSCF For affixed multiply by I Part B - Plats 3.3 Entry 31 None 32 None 34 None	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2063 1) Price Category 5-Digit 3-Digit ADC Mixed ADC	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496	x x x x	e and ente	r the price	left if pr	piece Part ices \$ \$	A Total	ount Af	1020.7730
A21 DSCF A22 DSCF For affixed multiply by 1 Part B - Flats 3.3 Entry 31 None 32 None 34 None 95 DBMC	AADC d postage mail y No. of Piece Automation F oz. (0.2063 1) Price Category 5-Digit ADC Mixed ADC 5-Digit	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496 0.312	x x x x x	e and ente	r the price	left if pr	piece Part ices \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 22 DSCF /or affixed multiply by 1 Part B - Plats 3.3 Entry None 22 None 33 None 44 None 55 DBMC 56 DBMC	AADC d postage mail y No. of Pieces - Automation F oz. (0.2663 I) Price Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496 0.312 0.384	compute n.	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 22 DSCF From affixed all tiply by the second of	AADC d postage mail y No. of Piece Automation F oz. (0.2063 1) Price Category 5-Digit ADC Mixed ADC 5-Digit	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496 0.312	x x x x x	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 22 DSCP For affixed altiply by 1 Part B - Flats 3.3 Entry 81 Mone 12 None 13 None 14 None 15 DBMC 16 DBMC 17 DBMC 18 DBMC	AADC d postage mail y No. of Piece - Automation E oz. (0.2063 I) Price Category 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC Mixed ADC Mixed ADC	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462	x x x x x x x x x x x x x x x x x x x	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 22 DSCF 22 DSCF 23 DSCF 24 A STATE B 1 Part B 1 Part B 1 Part B 2 Plats 3.3 Entry None 2 None 3 None 34 None 35 DBMC 36 DBMC 37 DBMC 38 DBMC	AADC d postage mail y No. of Pieces - Automation F: oz. (0.2063 H Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303	compute n.	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 22 DSCF or affixes altiply by Part B - Plats 3.3 Entry None None None None BMC BMC BMC DBMC DB	AADC d postage mail y No. of Pieces - Automation F oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC	ings as s and to lats	described in the 1	Price 0.346 0.418 0.496 0.31.2 0.384 0.453 0.462 0.303 0.375	x x x x x x x x x x x x x x x x x x x	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 222 DSCF 237 DSCF 24 OSCF 25 OSCF 26 OSCF 27 OSCF 28 OSCF 28 OSCF 28 OSCF 29 DSCF 29 DSCF 20 DSCF 20 DSCF 21 DSCF 21 DSCF 21 DSCF 21 DSCF	AADC d postage mail y No. of Pieces - Automation F. oz. (0.263 H Price Category 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit ADC 5-Digit ADC 5-Digit ADC 5-Digit ADC	ings as s and to lats bs.) or	described in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303	compute n.	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$ \$ \$	A Total	ount Af	1020.7730
21 DSCF 22 DSCP 23 DSCP 24 DSCP 25 affixed multiply by 25 Plats 3.3 Entry 26 None 27 None 28 None 38 None 39 None 36 DBMC 37 DBMC 38 DBMC 38 DBMC 39 DSCP 311 DSCF	AADC d postage mail y No. of Pieces - Automation F oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC	ings as s and to	described in the T	Price 0.346 0.418 0.486 0.496 0.312 0.384 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	e and ente	r the price	left if pr	piece Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$	in the Amo	ount Af	1020.7730
21 DSCF 22 DSCF 22 DSCF 23 DSCF 24 DSCF 25 DSCF 26 DSCF 27 DSMC 28 DSMC 29 DSCF 20 DSCF 20 DSCF 21 DSCF 21 DSCF 21 DSCF 21 DSCF 21 DSCF 22 DSCF 23 Over	AADC d postage mail y No. of Pieces - Automation F oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit ADC F-Digit ADC 5-Digit ADC F-Digit ADC	ings as s and to	described in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	r the price	left if pr	piece Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$	A Total A Total Total Pounds	ount Af	1020.7730
21 DSCF 22 DSCF 22 DSCF 23 DSCF 24 DSCF 25 DSCF 26 DSCF 27 DSCF 28 DSCF 29 DSCF 29 DSCF 20 DSCF 20 DSCF 21 DSCF 21 DSCF 21 DSCF 22 DSCF 23 DSCF 24 DSCF 25 DSCF 26 DSCF 27 DSCF 27 DSCF 28 DSCF 29 DSCF 20 DSCF 21 DSCF 21 DSCF 22 DSCF 23 DSCF 24 DSCF 25 DSCF 26 DSCF 27 DSCF 27 DSCF 28 DSCF 29 DSCF 29 DSCF 20 DSCF 20 DSCF 21 DSCF 21 DSCF 21 DSCF 22 DSCF 23 DSCF 24 DSCF 25 DSCF 26 DSCF 27 DSCF 27 DSCF 27 DSCF 27 DSCF 28 DSCF 28 DSCF 29 DSCF 20 DSCF 20 DSCF 21 DSC	AADC d postage mail y No. of Pieces - Automation F. oz. (0.263 H Price Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC	ings as s and to	described in the 1 Less m 16 oz. Or Amount	Price 0.346 0.418 0.496 0.302 0.384 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch	eck box at Pieces Pound Price	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	ount af	1020.7730
21 DSCF .22 DSCP Tor affixed altiply by Tor affixed	AADC d postage mail y No. of Piece - Automation F oz. (0.2063 I) Price Category 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 5-Digit ADC 6-Digit ADC 5-Digit ADC 6-Digit ADC 6-Digit ADC 7-Digit ADC 8-Digit	less the	described in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	Pound Price 0.735	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	ount Af	1020.7730
21 DSCF 22 DSCF 22 DSCF or affixed altiply by 1 Part B - Flats 3.3 Entry 1 None 2 None 3 None 4 None 5 DBMC 6 DBMC 7 DBMC 6 DBMC 7 DBMC 9 DSCF 10 DSCF 11 DSCF Flats Over Entry 12 None 13 None	AADC d postage mail y No. of Piece - Automation F. oz. (0.263 H Price Category 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit Category 5-Digit ADC	less that Piece Price 0.196	described in the 1 that in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303 0.375 0.443	computern.	Ch No. of	Pound Price Pound Price 0.735 > 0.735 >	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	ount Af	1020.7730
21 DSCF 22 DSCF 22 DSCF or affixed witiply by	AADC d postage mail y No. of Pieces - Automation F oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC 7 3.3 oz. but : Price Category 5-Digit 3-Digit	less that Piece Price 0.196 0.368	described in the 1 hear tall in	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	Pound Price 0.735	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	ount Af	1020.7730
21 DSCF 22 DSCF 22 DSCF or affixed altiply by the property of the property o	AADC d postage mail y No. of Pieces - Automation F: oz. (0.2063 H Price Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC mixed ADC category 5-Digit 3-Digit ADC mixed ADC mixed ADC Mixed ADC	less that Piece Price 0.196 0.268 0.336 0.346	described in the 1 had in the 1	Price 0.346 0.418 0.496 0.312 0.384 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	Pieces Pound Price 0.725 > 0.725 > 0.725 >	left if pr	piece Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal S S S S S S S S S S S S S S S S S S	ount Af	1020.7730
21 DSCF 22 DSCP Tor affixer altiply by I Part B I Par	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC F.3.3 oz. but : Price Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit 5-Digit ADC Mixed ADC 5-Digit	lings as s and to lasts bs.) or y	described in the 1 has an 16 oz. Or Amount Affixed	Price 0.346 0.418 0.486 0.496 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	Pound Price 9.725 2 0.725 2 0.562 2	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	= \$ = \$ = \$	1020.7730
21 DSCF 22 DSCF 22 DSCF 23 DSCF 24 DSCF 25 DSCF 26 DSCF 27 DSMC 28 DSMC 29 DSCF 29 DSCF 20 DSCF 21 DSCF 21 DSCF 21 DSCF 21 DSCF 22 None 23 None 34 None 45 DBMC 46 DBMC 47 DBMC 47 DBMC 48 DSCF 49 DSCF 40 DSCF 40 DSCF 41 DSC	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC S-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC	less that Piece Price 0.196 0.268 0.346 0.268	described in the 1 tal in tal in the 1 tal in tal	Price 0.346 0.418 0.496 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	Pound Price 0.735 > 0.735 > 0.735 > 0.735 > 0.735 >	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	= \$ \$ = \$ \$ = \$ \$ = \$ \$	1020.7730
21 DSCF 22 DSCF 22 DSCF or affixed altiply by 1 Part B - 1 Part B	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2663 I) Price Category 5-Digit A-Digit ADC Mixed ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit 3-Digit ADC 5-Digit ADC 5-Digit ADC	less the Piece 0.196 0.368 0.346 0.268 0.336	described in the 1 Less no 16 oz. Or Amount Affixed	Price 0.346 0.418 0.486 0.303 0.364 0.453 0.462 0.303 0.375 0.443	compute n. x x x x x x x x x x x x x x x x x x x	Ch No. of	Pieces Pound Price 0.735 2 0.725 2 0.725 2 0.562 2 0.562 2	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	= S = S = S = S = S = S = S = S = S = S	1020.773C
21 DSCF 22 DSCP 22 DSCP 23 DSCP 24 DSCP 25 DSCP 26 DSCP 27 DSCP 28 None 28 None 29 DSCP 27 DBMC 28 DBMC 29 DSCP 210 DSCP 211 DSCP 211 DSCP 212 None 23 None 24 None 25 DBMC 26 DBMC 27 DBMC 28 DSCP 210 DSCP 211 DSCP 211 DSCP 212 None 213 None 213 None 214 None 215 None 216 DBMC 217 DBMC 217 DBMC 218 DBMC 217 DBMC 218 DBMC 218 DBMC 219 DBMC 219 DSCP 210 None 211 DSCP 211 DSCP 211 DSCP 212 None 213 None 213 None 214 None 215 None 216 DBMC 217 DBMC 218 D	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC S-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC	less that Piece Price 0.196 0.268 0.346 0.268	described in the 1 tal in tal in the 1 tal in tal	Price 0.346 0.418 0.486 0.303 0.364 0.453 0.462 0.303 0.375 0.443	x x x x x x x x x x x x x x x x x x x	Ch No. of	Pound Price 0.735 > 0.735 > 0.735 > 0.735 > 0.735 >	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal	= \$ \$ = \$ \$ = \$ \$ = \$ \$	1020.7730
21 DSCF 22 DSCP 22 DSCP 23 DSCP 24 DSCP 25 affixed wiltiply by 26 DSCP 27 Plats 3.3 28 None 28 None 28 None 29 DSCP 26 DBMC 27 DBMC 28 DBMC 28 DBMC 29 DSCP 213 None 214 None 215 None 216 DBMC 217 DSCP 217 DSCP 218 None	AADC d postage mail y No. of Piece - Automation E oz. (0.2063 I) Price Category 5-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC ###	less that Piece Price 0.196 0.268 0.346 0.346 0.196 0.196 0.268 0.346 0.196	described in the 1 has been as 16 oz. Or Amount Affixed	Price 0.346 0.416 0.496 0.312 0.384 0.453 0.463 0.303 0.375 0.443	Computern. X X X X X X X X X X X X X X X X X X	Ch No. of	Pieces Pound Price 0.735 2 0.725 2 0.725 2 0.562 2 0.562 2	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal S S S S S S S S S S S S S S S S S S	= S = S = S = S = S = S = S = S = S = S	1020.7730
21 DSCF 22 DSCF 22 DSCF 22 DSCF or affixed altiply by 1 Part B Plats 3.3 Entry 1 None 2 None 3 None 4 None 5 DBMC 6 DBMC 7 DBMC 6 DBMC 7 DBMC 9 DSCF 11 DSCF 11 DSCF 11 DSCF 12 None 13 None 14 None 15 None 16 DBMC 17 DBMC 18 DBMC 19 DBMC	AADC d postage mail y No. of Pieces - Automation F. oz. (0.2063 I) Price Categor; 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Frice Category 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit 3-Digit ADC Mixed ADC 5-Digit ADC Mixed ADC 6-Digit ADC Mixed ADC Mixed ADC	less that Piece Price 0.196 0.368 0.346 0.346 0.346	described in the 1 half of the 1 half of the 2 half of the 2 half of the 3 half of the 4 half of the	Price 0.346 0.416 0.496 0.312 0.384 0.453 0.463 0.303 0.375 0.443	Computern. X X X X X X X X X X X X X X X X X X	Ch No. of	Pound Price 0.735 > 0.735 > 0.735 > 0.562 > 0.	left if pr	Part ices \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	Pounds Subtotal S S S S S S S S S S S S S S S S S S	= S = S = S = S = S = S = S = S = S = S	1020.7730

i 1 P	aort C	- Parcels						Che	ch box at le	eft if pa	i,ces	are popula	ed in t	his secti
	o fetsa	Parcels				At 6.0 to								P
ı,		Price Category	Piece Price	Or Amount Affixed		No. of Pieces		Pieces Subtotal	Pound Price	Pounds		Pounds Subtotal		10 ml 3
21 N		BMC	0.879	70. 1.3. Xesti	X.	01.05.0025	= \$		0.990 x	rounds	±:		≂ : \$	Total
13 N	lone	Mixed BMC	1.379		Х		= \$		0.990 x		==	\$	= \$	
3 D	BMC	5-Digit	0.440		х		= \$		0.775 x		52.	ș.	= \$	
(4 D	вис	BMC	0.879		х		= \$		0.775 x		=		= \$	
25 D	SCF	5-Digit	0.440		x		= \$		0.566 x		er.	\$	= \$	
26 13	וטט	5-Digit	0.440		х		= \$		0.370 x					
	ъ.	pripaga c	0.440		Λ.		~ 0		0.370 X		=	Þ		
C7 N		coded Surcharge			X								≈ \$	
for a	ffixed	l postage maili	ngs as	described i	in DM	4 443,	comput							ixed colu
nulti	ply by	y No. of Pieces	and to	stal in the	Tota:	l colum	n.				The est	C Total	\$	
		- Nonautomation							ck box at 1e					
				·								are behave		
		Letters 3.3 oz Price Category)63 lbs.) or		s rice		No. of	Dieces			Total		
)1 N	lone	AADC			0	. 256	K	110.1 02	375	22	\$	96.0000		
DE N	lone	Mixed AADC			0	.273	×			=	\$			
		AADC				.222	x			=	\$			
)4 D	BMC	Mixed AADC			0.	.239	Х			22	\$			
)5 E	SCF	AADC			0	.213	x			=	\$			
Vorma	chinal	ole Letters 3.3	oz. (0).2063 [bs.)) or 1	.ess								
Ī:	ntry	Price Category			Pı	rice		No. of	Pieces			rotal		
06 N 07 N		5-Digit 3-Digit				.330 .447	x x			22 -	\$ \$			
38 N	lone	ADC			0	.491	х			#	\$			
)9 N	lone	Mixed ADC			0	.578	х			=	\$			
010 E		5-Digit				.396	×			756	\$			
01.1 D 01.2 D		3-Digit ADC				.413 .457	X X			=	\$ \$			
013 D		Mixed ADC				.544	×				Š			
014 D	SCF	S-Digit			Ů.	. 287	×			==	\$			
015 D 016 D		3-Digit ADC				.404	X			=	\$			
						.418 			· · · · · · · · · · · · · · · · · · ·	<u> </u>	\$ 			
											David	D Total	1 \$	96.0000
											rein c	D TOSAL		
		- Nonautomation						Che	ck box at le	eft if pr	ices	are populat	ed in U	his secti
		oz. (0.3063 lb												
		Price Category				cice		No. of	Pieces			rotal		
		5-Digit 3-Digit				.367 .464	X X			22	\$ \$			
		ADC				.509	×			72	\$			
		Mixed ADC			υ.	.558	х			=	\$			
		5-Digit 3-Digit				.333 .430	X.			a -	\$			
27 D	BMC	ADC			0.	475	r r			≅ ≝	\$ \$			
88 D	вмС	Mixed ADC			0	.524	х			=	\$			
59 D		5-Digit				.324	х			×	\$			
BLO D BLI D		3-Digit ADC				.421 .466	x x			æ ≅	\$ \$			
											~			
errer.		13.3 og. but 10 Price		m 16 oz. Or Amount	ı	lo, of		Pieces	Pound			Pounds		
		Category	Price	Affi.xed	1	ieces		Subtotal	Price	Pounds		Subtota1		Total
813 N 813 N		5-Digit 3-Digit	$0.217 \\ 0.314$		X X		= \$ = \$		0.725 x 0.735 x		= :		= \$ = \$	
04 N	one	ADC	0.359		Σ		28 Š		$0.725 \times$		- ·		* \$	
0.5 N	one	Mixed ADC	0.408		х		= \$		0.725 x		= :	\$	= \$	
16 D		5-Digit	0.217		х		# \$		0.562 x		= ;		÷ \$	
17 D 18 D		3-Digit ADC	$0.314 \\ 0.359$		X X		= \$ = \$		0.562 x 0.563 x		= : = :		= \$ ≈ \$	
19 D		Mixed ADC	0.408		x		n \$		0.562 x				= \$	
830 D	SCF	5-Digit	0.217		м		= \$		0.517 x		- 1	ς.	₩ \$	
331 D	SCF	3-Digit	0.314		×		· \$		0.517 x		5. 1	\$	÷ \$	
(3.3. D	SCF	ADC	0.359		Y		= \$		0.517 x	· ocean or or an access	e (\$ 	= \$	
or a	f Filxes	Postage maili	ngs as	described i	is DMA	4 <i>545,</i> €	resignation	e and enter	the price t	OI. G9 CP	piece	in the And		
or a ulti	ffixed ply by	Postage mailing No. of Pieces	ngs as and to	described i stad in the	in DMM Total	a sas, c Leotumi	ecsanjotu (i) L	e and enter	the price E	OF GOOD			1	IAGU KALLE
or a olti	ffixed ply by	Postage mailing No. of Pieces	ngs as and to	described in the	in DMM Potal	4 sas, c Lectum	scanjstu Ui	e and enter	the price E	or each		E Total		

Postalsoft (R) Presort 8.00 [c02] Page 2

USPS Qualification Report

Mailer Name: Mail Ld: 0001 Date: 83593 : STO REG Auto LETTERS (PERMIT) City of Madison 2008 Water Quality Rpt Fri Jun 12 09:58:18 2009

Entry Point: (1) Madison PO, Madison, MS 39110-9998 Presort: (1) STD, Automation Letters A'MM (DMM 245.7)

Destination Rate Summary Pieces

120,230. 1110.00.	10011 1001-000	Commerce 5	7 .1. 3.5473.543									
Desst	WS	HĐ	CR	5 B	313	AB	MI3	SĐ	3D	λD	MD	Totals
	N = N = 100 210 1 = 100 100		17 14 17 15 17 15 17							*************		
DDU												0
DSCF												0
DBMC												θ
NONE				4381								4381
									* *- ***	en in en en en en en en		
Totals	0	0	0	4381	0	0	0	0	0	0	0	4381

USPS Qualification Report.

Mailer Name: Mail Id: 0002 Date:
83593 : STD REG Auto LETTERS (PERMIT)
City of Madison
2008 Water Quality Rpt.
Fri Jun 12 09:58:18 2009

Entry Point: (1) Madison PO, Madison, MS 39110-9998 Presort: (2) STD, Regular Letters MCH (DMM 245.5)

Tray No.			Tray Zip	Group Dest	P/Ver TD	ws	111)	CR	5B	3В	ΑВ	МВ	50	30	AD	MD	Running Totals
~		~~~~		**** 10 30 70 74 10 40 74 10													
11	2-0	3DG	391		All										375		375
							500 THE PM AND THE SAN	** ** *= ** ** **			**********	** ** ** ** ** **			*********		
				Mailing	g .	0		0		0		0		()		0	
				Total	1		0		0		0		0		375		

	Mailing -	0		0		0		0
	Potal		0		0		0	
Mailing Rate Summary		Piece	3					
		~ *- *- * * *	-					
ADC Nonautomation (AD)		379	5					
		····						
TOTAL Nonautomation		379	•					
			-					
Grand Total		375	5					



| Feedback | Personal Profile | Logout |

Restricted Information

Transactions > Postage Statement Processing

Today's Date: 06/19/2009

Standard Mail - Permit Imprint	Receipt						
			Final				
3602	POSTAL STATEMENT OF MAILING/360 CERTIF	trans # 200917013010663M1 caps trans no: N/A					
Postage Statement: 71092520	Mailer's Job#:	Mailer's Job#:					
CITY OF MADISON 1239 HIGHWAY 51 MADISON MS 39110	-9092		FINANCE NUMBER: 274810				
STATION OR UNIT:	BMEU Madison (1110)		PERMIT NO: 23				
DATE OF MAILING 06/19/2009	CLASS Standard Mail	PROC CAT Letter	TYPE PI				
WEIGHT OF SINGLE PIECE (LBS) 0.0355	TOTAL PIECES 4756	TOTAL POUNDS 168.8380	Customer Reference ID CAPS Acct No:				
MAILED BY: PERMIT NO. 23 NAME: CITY OF MADISON							
CONTAINERS 40	FULL SERVICE N/A	AMOUNT FROM T	rust: \$1,116.77				
EEL/PFC:							
VERIFICATION SUMMARY:							
No verification required.			1				
	LJG		2001				
SIGNATURE OF WEIGHER	DATA PROCESSED BY	RECEIVED FOR	PROCESSING BY				
COMMENTS:		BEC	GINNING BALANCE: \$1,321.41 ENDING BALANCE: \$204.64				
mailing has been inspected co (1) eligibility for postage prices (2) proper preparation (and pre (3) proper completion of posta (4) payment of annual fee (if re	s claimed; esort where required); ge statement; and						

| Feedback | Logout | Copyright © 1999-2009 USPS. All Rights Reserved. Terms of Use

2008 CCR Contact Information

	Date: 6/39/09	Time: 4:33	
	PWSID: 4500/0		
	System Name: Madusio		
	Lead/Copper Language MSD	0H Message re: Radiological Lab	
	MRDL Violation	Chlorine Residual (MRDL) RAA	
MOI	Other Violation(s)		
	Will correct report & mail copy marked "corrected	d сору " to MSDH.	
: :-	Will notify customers of availability of corrected re will do Corrected Copy and of available Corrected Report	notify Customers	
	1		madisor to
-			Ci
-			
-			
	(Operator, Owner, Secretary)	601 624-5803 al8/09 Denson Robinson operator	
9/	8/09 4:20 pm Durson Robinson oha With Charles Durson Robinson Operator Will get Corrected Copy operator Will get Corrected Copy of our office ASAP.		
7	operator Will get Correction our office ASAP.	9/8/09	

SECOND ATTEMPT

City of Madison Water Quality Report 2008

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Madison vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

We have four ground water wells. Two are drilled into the Cockfield Aquifer and two are drilled into the Sparta Aquifer

Source water assessment and its availability

The Mississippi Source Water Assessment Program is a result of the Federal Safe Drinking Water Act 1996 which mandated all states to identify public water systems that may be susceptible to contamination and adopt appropriate management measures that will enhance their protection. More information is available at www.deg.state.ms.us

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health

Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

names are a superior constitution to a constitution of the processing and the same of the

How can I get involved?

Attend any regularly scheduled meeting of the Mayor and Board of Alderman held at the Madison Justice Complex on Crawford Street at 6 p.m. on the first and third Tuesday of each month.

Conservation Tips

Did you know that the average U.S. household uses approximately 350 gallons of water per day? Luckily, there are many low cost or no cost ways to conserve water. Water your lawn at the least sunny times of the day. Fix toilet and faucet leaks. Take short showers a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Turn the faucet off while brushing your teeth and shaving; 3-5 gallons go down the drain per minute. Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. City of Madison is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Between 2002-04 (30) Lead and Copper samples were collected 90th percentile results of lead .001mg/l 90th percentile results of copper .02mg/l Between 2005-07 (33) Lead and copper samples were collected 90th percentile results of lead .001 mg/l 90th percentile results of copper .4mg/l Action level of lead .015mg/l Action level of copper 1.3mg/l Madison did not exceed any action levels

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

MCLG MCL, or TT, or Your Range Sample <u>Contaminants MRDLG MRDL Water Low High</u> Date <u>Violatio</u>	n Typical Source

Nitrate [measured as Nitrogen] (ppm)	10	10	0.08	0.08	0.08	2008	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite [measured as Nitrogen] (ppm)	•	1	0.02	0.02	0.02	2008	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Radioactive Contaminan	ıts							
Alpha emitters (pCi/L)	0	15	1.93	0.46	1.93	2008	No	Erosion of natural deposits
Radium (combined 226/228) (pCi/L)	0	5	0.0401	0.01 78	0.295	2008	No	Erosion of natural deposits
Uranium (ug/L)	0	30	0.015	0.00	0.048	2008	No	Erosion of natural deposits
Volatile Organic Contan	ninants							
1,1,1-Trichloroethane (ppb)	200	200	≤ 0.5	0.5	0.5	2008	No	Discharge from metal degreasing sites and other factories
1,1,2-Trichloroethane (ppb)	3	5	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
1,1-Dichloroethylene (ppb)	7	7	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
1,2,4-Trichlorobenzene (ppb)	70	70	≤ 0.5	0.5	0.5	2008	No	Discharge from textile- finishing factories
1,2-Dichloropropane (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
Benzene (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from factories; Leaching from gas storage tanks and landfills
Carbon Tetrachloride (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from chemical plants and other industrial activities
cis-1,2- Dichloroethylene (ppb)	70	70	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories

Dichloromethane (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from
								pharmaceutical and chemical factories
Ethylbenzene (ppb)	700	700	≤ 0.5	0.5	0.5	2008	No	Discharge from petroleum refineries
o-Dichlorobenzene (ppb)	600	600	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
p-Dichlorobenzene (ppb)	75	75	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
Styrene (ppb)	100	100	≤ 0.5	0.5	0.5	2008	No	Discharge from rubber and plastic factories; Leaching from landfills
Tetrachloroethylene (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from factories and dry cleaners
Toluene (ppm)	1	1	0.0005	0.00 ≤ 05	0.000 5	2008	No	Discharge from petroleum factories
trans-1,2- Dicholoroethylene (ppb)	100	100	≤ 0.5	0.5	0.5	2008	No	Discharge from industrial chemical factories
Trichloroethylene (ppb)	0	5	≤ 0.5	0.5	0.5	2008	No	Discharge from metal degreasing sites and other factories
Vinyl Chloride (ppb)	0	2	≤ 0.5	0.5	0.5	2008	No	Leaching from PVC piping; Discharge from plastics factories
Xylenes (ppm)	10	10	0.0005	0.00 ≤ 05	0.000 5	2008	No	Discharge from petroleum factories; Discharge from chemical factories

Unit Descriptions	
<u>Term</u>	<u>Definition</u>
ug/L	ug/L: Number of micrograms of substance in one liter of water
ppm	ppm: parts per million, or milligrams per liter (mg/L)
ppb	ppb: parts per billion, or micrograms per liter (μg/L)
pCi/L	pCi/L: picocuries per liter (a measure of radioactivity)
NA	NA: Not Applicable
ND	ND: Not Detected
NR	NR: Monitoring not required, but recommended.

<u>Term</u>	<u>Definition</u>
MCLG	MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
MCL	MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
TT	TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
AL	AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
Variances and Exemptions	Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
MRDLG	MRDLG: Maximum Residual Disinfection Level Goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL	MRDL: Maximum Residual Disinfectant Level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
MNR	MNR: Monitored Not Regulated
MPL	MPL: State Assigned Maximum Permissible Level

For more information please contact:

Madison Public Works Department

Address: 1239 Highway 51 Madison, MS 39110-9092 Telephone: 601-856-8958 Fax: 601-856-8996

publicworks@madisonthecity.com

www.madisonthecity.com

City of Madison Public Works Department 1239 Highway 51 Madison, MS 39110-9092 PRSRT STD U.S. POSTAGE PAID MADISON, MS PERMIT NO. 23

******AUTO**SCH 5-DIGIT 39110
hillihandallihalandallihandallihalandallihalandallihalandallihalandallihalandallihalandallihalandallihandallihandallihalandallihandallihandallihalandallihandallihalandallih